





Card Zipper Wallet

INSTRUCTION


ZIPPER INSTALLATION




1. Prepare YKK Zipper No#5
(*I recommend buying in yard or meter so you can customize the length needed)



2. Start measure at 3 cm in from the zipper tool
Use the zipper tool as guide to measure the zipper, then cut the zipper
(the zipper should measure to about 32 cm or 12 1/2 inch)



3. Insert the zipper head



4. Glue the edge of the zipper fabric

Make sure to glue on the side that the zipper head is facing down



5. Glue along the wrong side (the hairy side) of the leather



Card Zipper Wallet

INSTRUCTION

ZIPPER INSTALLATION



Optional: glue the stiffener to the wrong side of the leather. Stiffener can be Texon, card stock paper, or craft paper.



Gluing the stiffener will help keep the card wallet in stiff shape



Put the zipper tool inside the "Main Interior" leather







Card Zipper Wallet

INSTRUCTION


ZIPPER INSTALLATION



Use large clip to hold the zipper tool and the leather in place



Prepare to glue the zipper to the “main Interior”
Make sure the right side of the zipper head is facing out



Start pasting the zipper at 3 cm or 1.8 inch
in from the corner



Paste the zipper at about 3/4 way leaving the zipper head
on the outer part of the zipper

Paste in straight lines leaving all corners open



Card Zipper Wallet

INSTRUCTION

ZIPPER INSTALLATION



Use round awl or similar tool to press the corners



Start in the middle of the corner and keep diving and pressing the the round awl



Slide the zipper head in toward the area that has already been glued






Card Zipper Wallet

INSTRUCTION

ZIPPER INSTALLATION



Repeat the steps with all corners



Open up the zipper and take out the zipper tool

